## International Geophysical Calendar 2017 (FINAL)

(See information to follow on the use of this Calendar)

	S	M	T	$\mathbf{W}$	T	F	S	S
January	3 1 <sup>+</sup>	2 <sup>+</sup>	3 <sup>+</sup>	4+	5	6	3 7	S
Januar y				_	l			2
	8	9	10	11	12 <sup>F</sup>	13	14	2
	15 <sup>+</sup>	16 <sup>+</sup>	<b>17</b> )	18	(19)	<b>20</b> <sup>+</sup>	21+	<b>9</b> <sup>F</sup>
	22+	23 <sup>+</sup>	24 <sup>++</sup>	25**	* 26***	* 27**	* <b>28</b> <sup>+ N</sup>	16
	<b>29</b> <sup>+</sup>	30 <sup>+</sup>	<b>31</b> <sup>+</sup>	1	2+	<b>3</b> <sup>+</sup>	4	23 <sup>N</sup>
February	<b>5</b> <sup>+</sup>	6+	7	8+	9+	10 <sup>+</sup>	11 <sup>+ F</sup>	30
	12 <sup>+</sup>	13 <sup>+</sup>	14	15	16	<b>17</b>	18	6
,	19	20	21	22	23	24	25	13
	26 <sup>N</sup>	<b>27</b> *	<b>28</b> *	1*	2	3	4	20
March	5	6	7	8	9	10	11	27
	12 <sup>F</sup>	13	14	15	16	17	18	3
	19	<b>20</b> <sup>+</sup>	<b>21</b> )	22	23	24 <sup>+</sup>	25 <sup>+</sup>	<u>10</u>
4 9	26 <sup>+</sup>	27 <sup>+*</sup>	28**1	29**	30 <sup>+</sup>	31 <sup>+</sup>	1+	<b>17</b> ⁺
April	2+	3+	4+	<b>5</b> <sup>+</sup>	6	7	8+	17 <sup>+</sup> 24 <sup>+</sup>
	9	10	11 <sup>F</sup>	12	13	14	15	<b>1</b> <sup>+</sup>
	16	17	18	19	20	21	22	8
	23	24	<b>(25)</b> *	26 *1	<sup>N</sup> (27)*	28	29	15
May	30	1	2	3	4	5	6	22
	7	8	9	10 <sup>F</sup>	11	12	13	29
	14	15	16	17	18	19	20	5
	21	22	23	24*	25)*N	<b>26</b> *	27	12
June	28	29	<b>30</b>	31	$\widetilde{1}$	2	3	19 <sup>+</sup>
June	4	5	6	7	8	<b>9</b> <sup>F</sup>	10	26
	11	12	13	14	15	16	<b>17</b>	3 <sup>F</sup>
	18	19	20	21*	22*	23 <sup>*</sup>	24 <sup>N</sup>	<u> 10</u> .
	<b>25</b>	26	(27)	28	29)	30	'	<u>1</u> 7
	$\mathbf{S}$	$\mathbf{M}$	$\mathbf{T}$	W	$\widetilde{\mathbf{T}}$	$\mathbf{F}$	S	24
								31

- (17) Regular World Day (RWD)
- 15 Priority Regular World Day (PRWD)
- 18 Quarterly World Day (QWD) also a PRWD and RWD
- 4 Regular Geophysical Day (RGD) **World Geophysical Interval (WGI)** 16 17

ı ıııc u	SC OI IIII	is Calci	iuai)				
S	M	T	$\mathbf{W}$	Т	F	S	
~		_			_	1	
2	3	4	5	6	7	8	July
<b>9</b> <sup>F</sup>	10	11	12	13	14	15	·
16	17	18	19	20	21	22	
23 <sup>N</sup>	<b>24</b> *	<b>25</b> )*	26	<b>(27)</b>	28	29	
30	31	1	2	3	4	5	August
6	<b>7</b> <sup>F</sup>	8	9	10	11	12	
13	14	<b>15</b>	16	17	18	19	
20	21 <sup>N</sup>	<b>22</b> *	23*	24*	25	<b>26</b>	
27	28	<b>29</b>	30	31	1	2	September
3	4	5	<b>6</b> <sup>F</sup>	7	8	9	
10_	11	12	13 <sup>+</sup>	14 <sup>+</sup>	15 <sup>+</sup>	_16 <sup>+</sup>	
<b>17</b> <sup>+</sup>	18 <sup>+</sup>	19 <sup>+*</sup>	20+*	N 21 <sup>+*</sup>	22 <sup>+</sup>	23 <sup>+</sup>	
24 <sup>+</sup>	25 <sup>+</sup>	(26)	27	28	29 <sup>+</sup>	30 <sup>+</sup>	
1	<b>2</b> <sup>+</sup>	3	4	<b>5</b> <sup>F</sup>	6	7	October
8	9	10	11	12	13	14	1
15	16	<b>17</b>	<u>18</u> *	19*N	<b>20</b> *	21	
22	23	(24)	25	26	27	28	November
29	30	31	1	2	3	<b>4</b> <sup>F</sup>	November
5	6	7	8	9	10	11	
12	13	14	15	16 <sup>+</sup>	<b>17</b> <sup>+</sup>	$18^{\scriptscriptstyle +N}$	
19 <sup>+</sup>	<b>20</b> <sup>+</sup>	21	22	23	24	25	December
<b>26</b>	<b>27</b>	(28)	29	(30)	1	2	December
$3^{\text{F}}$	4	5	6	7	8	9	
10_	_11_	12	13	14	15_	_16_	)
<u>17</u>	18*N	19*	<u>20</u> *	21	22	23	
24	25	(26)	27	(28)	29	<b>30</b>	2018
31	1	<b>2</b> <sup>F</sup>	3	4	5	6	January
7	8	9	10	11	12	13	·
14	15	16*	17*N		19	20	
21	22	(23)	24	(25)	26	27	
28	29	<b>30</b>	31 <sup>F</sup>				
$\mathbf{S}$	M	T	W	_ T	F	S	
	. N N	EW MO	ON	F FULL	MOON		

26 Days of Solar Eclipse: Feb 26, annular; Aug 21, total

27 Airglow and Aurora Period

<sup>+</sup> Incoherent Scatter Coordinated Observation Day 25\* Dark Moon Geophysical Day (DMGD) +Flow channels

<sup>+</sup>StratWarm: Experiment requires a 10-day run during this interval based on the predictions of sudden stratospheric warnings.

<sup>+</sup>CONGSS: Experiment requires a 5-day run during this interval based on predictions of magnetic disturbances.

<sup>+</sup>Convection and Polar Patches

## NOTES on other dates and programs of interest:

- Days with significant meteor shower activity (based on UT in year 2017) regular meteor showers: Dec 28 Jan 12, Jan 28 Feb 21, Apr 16 25, Apr 19 May 28, May 14 Jun 24, May 20 Jul 05, Jun 05 Jul 17, Jul 12 Aug 23, Jul 17 Aug 24, Sep 09 Oct 09, Oct 02 Nov 07, Nov 06-30, Dec 01-15, Dec 04-17, Dec 17-26. These can be studied for their own geophysical effects or may be "geophysical noise" to other experiments.
  (http://www.imo.net/calendar)
- 2. **GAW (Global Atmosphere Watch)** early warning system for changes in greenhouse gases, ozone layer, and long range transport of pollutants.

http://www.wmo.int/pages/prog/arep/gaw/gaw home en.html

3. VarSITI (Variability of the Sun and Its Terrestrial Impact) — SCOSTEP Program 2014-2018. Four scientific elements: SEE (Solar evolution and Extrema), MiniMax24/ISEST (International Study of Earth-affecting Solar Transients), SPeCIMEN (Specification and Prediction of the Coupled Inner-Magnetospheric Environment), and ROSMIC (Role Of the Sun and the Middle atmosphere/thermosphere/ionosphere In Climate).

Contact: Prof. Marianna Shepherd (mshepher@yorku.ca)

http://www.yorku.ca/scostep/?page\_id=1426

- 4. **ILWS (International Living With a Star) Program** International effort to stimulate, strengthen, and coordinate space research to understand the governing processes of the connected Sun-Earth System as an integrated entity. http://ilwsonline.org/
- 5. ISWI (International Space Weather Initiative) Program of international cooperation to advance space weather science by a combination of instrument deployment, analysis, and interpretation of space weather data from the deployed instruments in conjunction with space data, and communicate the results to the public and students. The goal of the ISWI is to develop the scientific insight necessary to understand the science, and to reconstruct and forecast near-Earth space weather. This includes instrumentation, data analysis, modelling, education, training, and public outreach.

Contact: Dr. N.Gopalswamy (nat.gopalswamy@nasa.gov)

http://www.iswi-secretariat.org/

6. + Incoherent Scatter Coordinated Observations Days - starting no later than 1300 UT on the first day of the interval and ending no earlier than 2000 UT on the last day of the interval (minimum 31 hours of observations): January 01-04, 24-27 Flow Channels; January 15-February 13 StratWarm; March 20-April 08, September 13-October 02 CONGSS; December 16-20 Convection and Polar Patches.

Contact: Dr. lan McCrea (ian.mccrea@stfc.ac.uk); Emma Spanswick (elspansw@ucalgary.ca)

http://www.isr.sri.com

https://www.eiscat.rl.ac.uk/experiments/world\_days\_2017.html

## **EXPLANATIONS**

This Calendar continues the series begun for the IGY years 1957-58, and is issued annually to recommend dates for solar and geophysical observations which cannot be carried out continuously. amount of observational data in existence tends to be larger on Calendar days. The recommendations on data reduction and especially the flow of data to ICSU World Data System (WDS) in many instances emphasize Calendar days. The Calendar is prepared by the International Space Environment Service (ISES) with the advice of spokesmen for the various scientific disciplines.

The 2017 Solar Eclipses are:

a.) 26 Feb 2017, annular solar eclipse. The path of annularity on 26 February 2017 crosses land in southern Chile and southern Argentina (a few hours' drive south of Esquel, where there will be a pre-eclipse symposium: http://sion.frm.utn.edu.ar/WDEAII/). After traversing the south Atlantic, where it peaks in duration at 44's with over 99% of the solar diameter covered, it passes through Angola and clips extreme southern Democratic Republic of Congo and extreme northern Zambia. Partial phases will be visible throughout southern South America south of mid-Peru and mid-Brazil and Saharan and sub-Saharan Africa.

b.) 21 Aug 2017, total solar eclipse. The path of totality on 21 August 2017 crosses the continental United States from the west coast to the east coast for the first time since 1999. At least 2 minutes of totality will be available on the centerline, with most favorable cloudiness statistics in the northwest and the peak of about 2 m 40 s of totality in Illinois/Kentucky. Totality will be visible in a path about 70 miles wide from Oregon, Idaho, Wyoming, Nebraska, Missouri, southern Illinois, western Kentucky, southwestern North Carolina, and South Carolina. All of Canada except for its extreme north; all of Alaska and Hawaii; South America as far south as the middle of Peru and Brazil; Greenland; and Iceland will have partial phases. The sun will rise in eclipse in eastern Siberia, Russia, and set with the partial phases of the eclipse barely visible from extreme western Europe and Africa.

Information assembled by Jay M. Pasachoff, Williams College (Williamstown, MA), Chair, International Astronomical Union's working group on Eclipses (http://www.eclipses.info) with thanks to Fred Espenak (Arizona) (Thousand Year Canon of Solar Ecllipses 1501 to 2500; <a href="http://www.astropixels.com/pubs">http://www.EclipseWise.com/pubs</a>; <a href="http://www.EclipseWise.com/pubs">http://www.EclipseWise.com/pubs</a>; and Xavier Jubier (Paris) for their data and maps. See also Michael Zeiler's http://eclipse-maps.com and http://GreatAmericanEclipse.com for maps and Jay Anderson's http://eclipsophile.com for weather discussions.

Meteor Showers Selected from data compiled by Jürgen Rendtel for the International Meteor Organization Shower Calendar 2017. Includes meteor showers observable mainly by radio and radar techniques. The dates are given in Note 1 on the previous page.

Time = Universal Time (UT) **Definitions:** 

Geophysical Day (RGD) = each Wednesday

Regular World Day (RWD) = Tuesday, Wednesday and Thursday near middle of month

Priority Regular World Day (PRWD) = the Wednesday RWD World Geophysical Interval (WGI) = 14 consecutive days each season

Quarterly World Day (QWD) = PRWD in the WGI

ALERT = occurrence of unusual solar or geophysical conditions, broadcast once daily soon after 0400 UT

For more detailed explanations of the definitions, please visit http://www.ngdc.noaa.gov/stp/space-weather/onlinepublications/igc\_calendars/ or http://www.spaceweather.org/.

Priority recommended programs for measurements not made continuously (in addition to unusual ALERT periods):

Airglow and Aurora — Observation periods are New Moon periods, especially the 7 day intervals on the calendar;

Atmospheric Electricity — Observation periods are the RGD each Wednesday, beginning on 6 Jan 2016 at 0000 UT, 13 Jan at 0600 UT, 20 Jan at 1200 UT, 27 Jan at 1800 UT, etc. Minimum program is PRWDs.

Geomagnetic Phenomena — At the minimum, need observation periods and data reduction on RWDs and during MAGSTORM Alerts.

Ionospheric Phenomena — Quarter-hourly ionograms; more frequently on RWDs, particularly at high latitude sites: f-plots on RWDs: hourly ionogram scaled parameters to WDCs on QWDs; continuous observations for solar eclipse in eclipse zone. See Airglow and Aurora.

Incoherent Scatter — Observations on Incoherent Scatter Coordinated Days; also intensive series on WGIs or Airglow and Aurora periods.

Special programs: Ian McCrea, Rutherford Appleton Laboratory, UK; Tel:+44(0)1235 44 6513; Fax:+44(0)1235 44 5848; email: ian.mccrea@stfc.ac.uk, chair of URSI ISWG (Commission G). See http://www.isr.sri.com

Ionospheric Drifts — During weeks with RWDs.

Travelling Ionospheric Disturbances (TIDs) — special periods, probably PRWDs or RWDs.

Ionospheric Absorption — Half-hourly on RWDs; continuous on solar eclipse days in eclipse zone and conjugate area. Daily measurements during Absorption Winter Anomaly at temperate latitude stations (Oct-Mar Northern Hemisphere; Apr-Sep Southern Hemisphere).

Backscatter and Forward Scatter — RWDs at least.

Mesospheric D region electron densities — RGDs around noon.

ELF Noise Measurements of earth-ionosphere cavity resonances WGIs.

All Programs — Appropriate intensive observations during unusual meteor activity.

Meteorology — Especially on RGDs. On WGIs and STRATWARM Alert Intervals, please monitor on Mondays, Wednesdays, and Fridays.

GAW (Global Atmosphere Watch) -- WMO program to integrate monitoring of atmospheric composition. Early warning system of changes in atmospheric concentrations of greenhouse gases, ozone, and pollutants (acid rain and dust particles). WMO, 7 bis avenue de la Paix, P.O. Box 2300, CH-1211 Geneva 2, Switzerland. http://www.wmo.int/pages/prog/arep/gaw/gaw\_home\_en.html

Solar Phenomena — Solar eclipse days, RWDs, and during PROTON/FLARE ALERTS.

VarSITI (Variability of the Sun and Its Terrestrial Impact )-SCOSTEP Program 2014-2018. VarSITI strives for international collaboration in data analysis, modeling, and theory to understand how the solar variability affects Earth. VarSITI will have four scientific elements that address solar terrestrial problems keeping the current low solar activity as the common thread: SEE (Solar evolution and Extrema), MiniMax24/ISEST (International Study of Earth-affecting Solar Transients), SPeCIMEN (Specification and Prediction of the Coupled Inner-Magnetospheric Environment), and ROSMIC (Role Of the Sun and the Middle atmosphere/thermosphere/ionosphere In Climate). Contact is Prof. Marianna Shepherd (mshepher@yorku.ca), President of SCOSTEP. Co-chairs are Katya Georgieva (SRTI, Bulgaria) and Kazuo Shiokawa (STEL, Japan). <a href="http://www.yorku.ca/scostep/?page\_id=1426">http://www.yorku.ca/scostep/?page\_id=1426</a>

ILWS (International Living With a Star) - International effort to stimulate, strengthen, and coordinate space research to understand the governing processes of the connected Sun-Earth System as an Contact info@ilwsonline.org. integrated entity. http://ilwsonline.org/.

ISWI (International Space Weather Initiative) - Program of international cooperation to advance space weather science. The goal of the ISWI is to develop the scientific insight necessary to understand the science, and to reconstruct and forecast near-Earth space weather. Contact: Dr. N. Gopalswamy - nat.gopalswamy@nasa.gov. http://www.iswi-secretariat.org/.

Space Research, Interplanetary Phenomena, Cosmic Rays, Aeronomy — QWDs, RWDs, Airglow and Aurora periods.

The International Space Environment Services (ISES) is a space weather service organization currently comprised of globally distributed Regional Warning Centers, Associate Warning Centers, and one Collaborative Expert Center (European Space Agency). ISES is a Network Member of the International Council for Science World Data System (ICSU-WDS) and collaborates with the World Meteorological Organization (WMO) and other international organizations, including the Committee on Space Research (COSPAR), the International Union of Radio Science (URSI), and the International Union of Geodesy and Geophysics (IUGG). The mission of ISES is to improve, to coordinate, and to deliver operational space weather services. ISES is organized and operated for the benefit of the international space weather user community.

ISES members share data and forecasts among the Regional Warning Centers (RWCs) and provide space weather services to users in their regions. The RWCs provide a broad range of services, including: forecasts, warnings, and alerts of solar, magnetospheric, and ionospheric conditions; extensive space environment data; customer-focused event analyses; and long-range predictions of the solar cycle. While each RWC concentrates on its own region, ISES serves as a forum to share data, to exchange and compare forecasts, to discuss user needs, and to identify the highest priorities for improving services.

ISES works in close cooperation with the World Meteorological Organization, recognizing the mutual interest in global data acquisition and information exchange, in common application sectors, and in understanding and predicting the coupled Earth-Sun environment.

This Calendar for 2017 has been drawn up by Dr. R.A. D. Fiori of the ISES Steering Committee, in association with spokesmen for the various scientific disciplines in the Scientific Committee on Solar-Terrestrial Physics (SCOSTEP), the International Association of Geomagnetism and Aeronomy (IAGA), URSI and other ICSU organizations. Similar Calendars are issued annually beginning with the IGY, 1957-58. PDF versions of the past calendars are available online.

Published for the International Council for Science and with financial assistance of UNESCO.

Copies of earlier years' calendars are available upon request to either ISES Director, Dr. Terry Onsager, NOAA Space Weather Prediction Center, 325 Broadway, Boulder, CO, 80305, USA, telephone +1-303-497-5713, FAX +1-303-497-3645, e-mail <a href="mailto:Terry.Onsager@noaa.gov">Terry.Onsager@noaa.gov</a>, or contact ISES Secretary for World Days, Dr. Robyn Fiori, telephone +1-613-837-5137, e-mail <a href="mailto:robyn.fiori@canada.ca">robyn.fiori@canada.ca</a>. Beginning with the 2008 Calendar, all calendars are available only in digital format.

The website for the International Geophysical Calendar, including recent versions, can be found at <a href="http://www.spaceweather.org/">http://www.spaceweather.org/</a>. Archived calendars from 1957 to present are available at <a href="http://www.ngdc.noaa.gov/stp/space-weather/online-publications/igc\_calendars/">http://www.ngdc.noaa.gov/stp/space-weather/online-publications/igc\_calendars/</a>.